

A Business Model Founded on Trust

- For over 145 years the Halsted model has supported packaging distributors across the globe.
- Stock and Custom Woven Polypropylene Bags.
- ✓ Available on East Coast (NJ) and West Coast (CA).
- Generic Labels / Pallet Covers No "Halsted" Branding.

Products and Pricing Available Only to Distributors for Resale



Our Promise

Every day we help our clients create a lasting impression for their customers, turning ordinary packaging into a memorable experience.

We empower and support our clients, enabling them to prioritize their customers.

By leveraging 150 years of experience, we have become a reliable and trustworthy partner that delivers innovative end-to-end packaging solutions, minimizing clients' risk while scaling their growth.







Sourcing & Quality Control

- Design and source products competitively.
- Diversify your supply chain and reduce risk.

Import Logistics & Financing

- Absorb burden & risk of navigating international shipping and U.S. Customs entry.
- ✓ In-house logistics expertise. No hidden fees or 3PL red tape.

Warehousing & Distribution

- Hundreds of generically marked small bags and FIBCs on both coasts. Same-day shipping guaranteed.
- Custom bags with custom tags, blind-shipped in your name.



BULK BAGS AVAILABLE FOR IMMEDIATE SHIPMENT

Products and Pricing Available Only to Distributors for Resale

Available on East Coast (NJ) and West Coast (CA)

Generic Labels / Pallet Covers
 All Bags Have a 5:1 Safety Factor & Document Pouch*

Item # Size Cubic FL Description BM-00C054K 35x35x40 34.1 Duffle Top; Spout Bottom; Sift Proof BM-05C054K 35x35x40 34.1 Spout Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 43.1 Duffle Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 43.1 Duffle Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 43.1 Spout Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 43.1 Spout Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 43.1 Spout Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 42.2 Duffle Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BM-05C054K 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BM-05C054K 35x35x70 52.5 Spout Top; Spout Bottom; Sift Proof BM-05C054 35x35x70 52.5 Spout Top; Spout Bottom; Sift Proof BM-05C054 35x35x70 52.5 Spout Top; Spout Bottom; Sift Proof <th>4,000</th> <th>LBS CA</th> <th>APACITY;</th> <th>COATE</th> <th></th> <th>RIC; U-PANEL</th>	4,000	LBS CA	APACITY;	COATE		RIC; U-PANEL
Image: Section of the sectio		1	ltem #	Size	Cubic Ft.	Description
BB-45CD54K 35x35x45 38.6 Durffe Top; Spout Bottom; Sift Proof BB-45CD54K 35x35x45 38.6 Spout Top; Spout Bottom; Sift Proof BB-50CD54K 35x35x50 43.1 Durffe Top; Spout Bottom; Sift Proof BB-50CD54K 35x35x50 43.1 Spout Top; Spout Bottom; Sift Proof BB-50CD54K 35x35x55 47.6 Durffe Top; Spout Bottom; Sift Proof BB-50CD54K 35x35x50 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CD54K 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CD54K 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CD54K 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CD55 35x35x30 25 Duffe Top; Spout Bottom; Sift Proof BB-30CD5 35x35x30 25 Duffe Top; Spout Bottom; Sift Proof BB-30CD5 35x35x44 34.1 Duffe Top; Spout Bottom BB-30CD5 35x35x45 38.6 Duffe Top; Spout Bottom BB-30CD5 35x35x44 34.1 Duffe Top; Spout Bottom <	HII	11	BB-40CDS4K	35x35x40	34.1	Duffle Top; Spout Bottom; Sift Proof
BR-45CS54K35x35x4536.6Spout Top; Spout Bottem; Sift ProofBR-55CD54K35x35x5043.1Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x5047.6Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x5052.2Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x5052.2Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x6052.2Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x6052.2Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x6052.2Spout Top; Spout Bottem; Sift ProofBR-55CD54K35x35x6052.2Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x6052.2Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x6025Duffle Top; Spout Bottem; Sift ProofBR-55CD54K35x35x4025Duffle Top; Spout Bottem; Sift ProofBB-55CD54K35x35x4034.1Duffle Top; Spout Bottem; Sift ProofBB-35CD535x35x4034.1Spout Top; Spout Bottem; Sift ProofBB-45CD535x35x4536.6Spout Top; Spout Bottem; Sift ProofBB-45CD535x35x4544.3Duffle Top; Spout Bottem;BB-45CD535x35x4544.3Duffle Top; Spout BottemBB-5CD535	THE THE	fri Ela	BB-40CSS4K	35x35x40	34.1	Spout Top; Spout Bottom; Sift Proof
BB:S0CDS4K 35x35x50 4.3.1 Duffle Top: Spout Bottom: Sift Proof BB:S0CDS4K 35x35x50 4.3.1 Spout Top: Spout Bottom: Sift Proof BB:S0CDS4K 35x35x50 4.3.1 Spout Top: Spout Bottom: Sift Proof BB:S0CDS4K 35x35x50 4.7.6 Spout Top: Spout Bottom: Sift Proof BB:S0CDS4K 35x35x60 52.2 Duffle Top: Spout Bottom: Sift Proof BB:S0CDS4K 35x35x60 52.2 Spout Top: Spout Bottom: Sift Proof BB:S0CDS4K 35x35x60 52.2 Spout Top: Spout Bottom: Sift Proof BB:S0CDS4K 35x35x60 52.2 Spout Top: Spout Bottom: Sift Proof BB:S0CDS 35x35x30 25 Duffle Top: Spout Bottom: Sift Proof BB:S0CDS 35x35x40 24.1 Duffle Top: Spout Bottom: Sift Proof BB:S0CDS 35x35x40 34.1 Spout Top: Spout Bottom: Sift Proof BB:A0CDS 35x35x40 34.1 Spout Top: Spout Bottom: Sift Proof BB:A0CDS 35x35x40 34.1 Spout Top: Spout Bottom: Sift Proof BB:A0CDS 35x35x40 34.1 Spout Top: Spout Bottom: Sift			BB-45CDS4K	35x35x45	38.6	Duffle Top; Spout Bottom; Sift Proof
BB-50C554K 35x35x50 43.1 Spout Top; Spout Bottom; Sift Proof BB-55C54K 35x35x55 47.6 Duffle Top; Spout Bottom; Sift Proof BB-60C054K 35x35x60 52.2 Duffle Top; Spout Bottom; Sift Proof BB-60C054K 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60C054K 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60C054K 35x35x70 25 Duffle Top; Spout Bottom; Sift Proof BB-60C054K S5x35x30 25 Duffle Top; Spout Bottom BB-30C02 35x35x30 25 Duffle Top; Spout Bottom BB-30C02 35x35x30 25 Spout Top; Spout Bottom BB-30C02 35x35x35 29.5 Spout Top; Spout Bottom BB-30C02 35x35x40 34.1 Duffle Top; Spout Bottom BB-40C025 35x35x40 34.1 Spout Top; Spout Bottom BB-40C05 35x35x50 43.1 Duffle Top; Spout Bottom BB-40C05 35x35x60 34.1 Spout Top; Spout Bottom BB-40C055 35x35x50 43.1			BB-45CSS4K	35x35x45	38.6	Spout Top; Spout Bottom; Sift Proof
BB-55CD54K 35x35x55 47.6 Duffle Top; Spout Bottom; Sift Proof BB-55CS54K 35x35x56 47.6 Spout Top; Spout Bottom; Sift Proof BB-60CD54K 35x35x60 52.2 Duffle Top; Spout Bottom; Sift Proof BB-60CD54K 35x35x00 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CD54K 35x35x00 25 Spout Top; Spout Bottom; Sift Proof BB-30CD5 35x35x30 25 Duffle Top; Spout Bottom; Sift Proof BB-30CD5 35x35x30 25 Spout Top; Spout Bottom; Sift Proof BB-30CD5 35x35x30 25 Spout Top; Spout Bottom; Sift Proof BB-30CD5 35x35x40 34.1 Duffle Top; Spout Bottom; Sift Proof BB-30CD5 35x35x40 34.1 Duffle Top; Spout Bottom; Sift Proof BB-40CD5 35x35x40 34.1 Duffle Top; Spout Bottom; Sift Proof BB-40CD5 35x35x50 43.1 Spout Top; Spout Bottom; Sift Proof BB-40CD5 35x35x60 34.1 Spout Top; Spout Bottom; Sift Proof BB-40CD5 35x35x50 43.1 Duffle Top; Spout Bottom	TAT	TTT	BB-50CDS4K	35x35x50	43.1	Duffle Top; Spout Bottom; Sift Proof
Image: space s	Mar I have a have	-	BB-50CSS4K	35x35x50	43.1	Spout Top; Spout Bottom; Sift Proof
BB-902D34K35x55x6052.2Duffle Top: Spout Bottom; Sift ProofAGOSSAKStats X6052.2Spout Top: Spout Bottom; Sift ProofAGOSSAKSizeCubic FLDescriptionBB-902D36S5x55x602.3Spout Top: Spout Bottom; Sift ProofBB-902D36S5x55x302.9Duffle Top: Spout BottomBB-902D335x35x302.9Duffle Top: Spout Bottom; Sift ProofBB-902D335x35x302.9Duffle Top: Spout Bottom; Sift ProofBB-902D335x35x352.9.5Spout Top: Spout Bottom; Sift ProofBB-902D335x35x352.9.5Spout Top: Spout Bottom; Sift ProofBB-902D335x35x4034.1Duffle Top: Spout Bottom; Sift ProofBB-402S335x35x4034.1Spout Top: Spout Bottom; Sift ProofBB-402D535x35x4034.1Spout Top: Spout Bottom; Sift ProofBB-402D535x35x5043.1Spout Top: Spout Bottom; Sift ProofBB-45CD535x35x5043.1Spout Top: Spout Bottom; Sift ProofBB-45CD535x35x5043.1Duffle Top: Spout Bottom; Sift ProofBB-50CD535x35x5043.1Duffle Top: Spout BottomBB-50CD535x35x5043.1Duffle Top: Spout BottomBB-50CD535x35x5043.1Duffle Top: Spout BottomBB-50CD535x35x5043.1Spout To			BB-55CDS4K	35x35x55	47.6	Duffle Top; Spout Bottom; Sift Proof
BB-60CSSAK35X35X6052.2Spout Top; Spout Bottom; Sift ProofA StateCubic FLDescriptionBB-30CDS35X35X3025Duffie Top; Spout Bottom;BB-30CDS35X35X3025Duffie Top; Spout Bottom;BB-30CDS35X35X3025Duffie Top; Spout Bottom;BB-30CDS35X35X3025Duffie Top; Spout Bottom;BB-30CDS35X35X3025Spout Top; Spout Bottom; Sift ProofBB-30CDS35X35X3529.5Duffie Top; Spout Bottom; Sift ProofBB-30CDS35X35X4034.1Duffie Top; Spout Bottom; Sift ProofBB-30CDS35X35X4034.1Duffie Top; Spout Bottom; Sift ProofBB-30CDS35X35X4034.1Duffie Top; Spout Bottom; Sift ProofBB-40CDS35X35X4538.6Duffie Top; Spout Bottom; Sift ProofBB-40CDS35X35X5043.1Duffie Top; Spout Bottom; Sift ProofBB-45CDS35X35X5043.1Duffie Top; Spout Bottom; Sift ProofBB-50CDS35X35X5043.1Duffie Top; Spout Bottom; Sift Proof			BB-55CSS4K	35x35x55	47.6	Spout Top; Spout Bottom; Sift Proof
Sport DescriptionItem #SizeCubic FLDescriptionBB-30CDS35x35x3025Duffle Top; Spout BottomBB-30CDS35x35x3025Spout Top; Spout Bottom; Sift ProofBB-30CDS35x35x3529.5Duffle Top; Spout Bottom; Sift ProofBB-35CSS35x35x3529.5Spout Top; Spout Bottom; Sift ProofBB-35CSS35x35x4034.1Duffle Top; Spout Bottom; Sift ProofBB-45CDS35x35x4034.1Spout Top; Spout Bottom;BB-45CDS35x35x4538.6Spout Top; Spout BottomBB-45CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5244.9Duffle Top; Spout BottomBB-50CDS35x35x5547.6Duffle Top; Spout BottomBB-50CDS35x35x5547.6Duffle Top; Spout BottomBB-50CDS35x35x6052.2Duffle Top; Spout BottomBB-50CDS35x35x6052.2Duffle Top; Spout BottomBB-50CDS35x35x6556.7Duffle Top; Spout BottomBB-50CDS35x35x6556.7Spout Top; Spout BottomBB-50CDS35x35x6556.7Duffle Top; Spout BottomBB-50CDS			BB-60CDS4K	35x35x60	52.2	Duffle Top; Spout Bottom; Sift Proof
Item #SizeCubic Ft.DescriptionBB-30CDS35x35x3025Duffle Top; Spout Bottom;BB-30CDS35x35x3025Spout Top; Spout Bottom; Sift ProofBB-30CDS35x35x3529.5Duffle Top; Spout Bottom;BB-35CDS35x35x3529.5Spout Top; Spout Bottom;BB-35CDS35x35x4034.1Duffle Top; Spout Bottom;BB-45CDS35x35x4034.1Duffle Top; Spout Bottom;BB-45CDS35x35x4538.6Duffle Top; Spout Bottom;BB-45CDS35x35x4538.6Duffle Top; Spout Bottom;BB-45CDS35x35x4538.6Spout Top; Spout Bottom;BB-45CDS35x35x5043.1Duffle Top; Spout Bottom;BB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5244.9Duffle Top; Spout Bottom;BB-50CDS35x35x5547.6Duffle Top; Spout Bottom;BB-50CDS35x35x5547.6Duffle Top; Spout Bottom;BB-50CDS35x35x5052.2Duffle Top; Spout Bottom;BB-50CDS35x35x5547.6Spout Top; Spout Bottom;BB-50CDS35x35x6052.2Duffle Top; Spout Bottom;BB-50CDS35x35x6556.7Duffle Top; Spout Bottom;BB-60CDS35x35x6556.7Spout Top; Spout Bottom;BB-60CDS35x35x6556.7Duffle Top; Spout Bottom;BB-60CDS35x35x6556.7Duffle Top; Spout Bottom;BB-60CDS35x35x6556.7Duffle Top; Spout			BB-60CSS4K	35X35X60	52.2	Spout Top; Spout Bottom; Sift Proof
BB-30CDS35x35x3025Duffle Top; Spout Bottom; Sift ProofBB-30CSS35x35x3529.5Duffle Top; Spout Bottom; Sift ProofBB-30CSS35x35x3529.5Duffle Top; Spout Bottom; Sift ProofBB-30CDS35x35x3529.5Spout Top; Spout Bottom; Sift ProofBB-30CDS35x35x4034.1Duffle Top; Spout Bottom; Sift ProofBB-40CDS35x35x4034.1Spout Top; Spout Bottom; Sift ProofBB-40CDS35x35x5043.1Duffle Top; Spout Bottom; Sift ProofBB-50CDS35x35x5043.1Duffle Top; Spout Bottom;BB-50CDS35x35x5244.9Duffle Top; Spout Bottom;BB-50CDS35x35x5547.6Duffle Top; Spout Bottom;BB-50CDS35x35x5547.6Duffle Top; Spout Bottom;BB-50CDS35x35x6052.2Spout Top; Spout Bottom;BB-50CDS35x35x6056.7Duffle Top; Spout Bottom;BB-60CDS35x35x6556.7Spout Top; Spout Bottom;BB-60CDS35x35x6556.7Spout Top; Spout Bottom;BB-60CDS35x35x6556.7Spout Top; Spout Bottom;BB-60CDS35x3	3,000	LBS CA	APACITY;	COATE	D FAB	RIC; U-PANEL
BB-30CSS35X35X3025Spout Top; Spout Bottom; Sift ProofBB-35CDS35x35x3529.5Duffie Top; Spout Bottom;BB-35CSS35x35x3529.5Spout Top; Spout Bottom;BB-40CDS35x35x4034.1Duffie Top; Spout Bottom;BB-40CDS35x35x4034.1Duffie Top; Spout Bottom;BB-40CDS35x35x4034.1Spout Top; Spout Bottom;BB-40CDS35x35x5043.1Duffie Top; Spout Bottom;BB-40CDS35x35x5043.1Duffie Top; Spout Bottom;BB-40CDS35x35x5043.1Duffie Top; Spout Bottom;BB-50CDS35x35x5043.1Duffie Top; Spout Bottom;BB-50CDS35x35x5044.9Duffie Top; Spout Bottom;BB-50CDS35x35x5547.6Spout Top; Spout Bottom;BB-50CDS35x35x6052.2Duffie Top; Spout Bottom;BB-60CDS35x35x6052.2Spout Top; Spout Bottom;BB-60CDS35x35x6556.7Duffie Top; Spout Bottom;BB-60CDS35x35x6556.7Duffie Top; Spout Bottom;BB-60CDS35x35x6556.7Duffie Top; Spout Bottom;BB-60CDS35x35x6556.7Duffie Top; Spout Bottom;BB-60CDS35x35x6556.7Duf	and the second		ltem #	Size	Cubic Ft.	Description
BB-35CDS35x35x3529.5Duffle Top; Spout Bottom; Spout Bottom; Sift ProofBB-35CDS35x35x3529.5Spout Top; Spout Bottom; Spout Bottom; Sift ProofBB-40CDS35x35x4034.1Duffle Top; Spout Bottom; Spout Bottom; Sift ProofBB-40CDS35x35x4538.6Duffle Top; Spout Bottom; Sift ProofBB-45CDS35x35x4538.6Spout Top; Spout Bottom; Sift ProofBB-45CDS35x35x4538.6Spout Top; Spout Bottom; Sift ProofBB-45CDS35x35x5043.1Duffle Top; Spout Bottom; Sift ProofBB-50CDS35x35x5043.1Duffle Top; Spout Bottom; Sift ProofBB-50CDS35x35x5043.1Spout Top; Spout Bottom; Sift ProofBB-50CDS35x35x5544.9Duffle Top; Spout Bottom; Sift ProofBB-50CDS35x35x5547.6Duffle Top; Spout Bottom; Sift ProofBB-50CDS35x35x5052.2Duffle Top; Spout Bottom; Sift ProofBB-50CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; BB-60CDSBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; BB-60CDSBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; BB-60CDS <tr< td=""><td></td><td>and and and and</td><td>BB-30CDS</td><td>35x35x30</td><td>25</td><td>Duffle Top; Spout Bottom</td></tr<>		and and and and	BB-30CDS	35x35x30	25	Duffle Top; Spout Bottom
BB-35CSS35x35x3529.5Spout Top; Spout Bottom; Sift ProofBB-40CDS35x35x4034.1Duffle Top; Spout BottomBB-40CSS35x35x4034.1Spout Top; Spout Bottom; Sift ProofBB-45CDS35x35x4538.6Duffle Top; Spout BottomBB-45CDS35x35x4538.6Spout Top; Spout Bottom; Sift ProofBB-45CDS35x35x4538.6Spout Top; Spout BottomBB-45CDS35x35x4841.3Duffle Top; Spout BottomBB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Spout Top; Spout BottomBB-52CDS35x35x5244.9Duffle Top; Spout BottomBB-52CDS35x35x5547.6Duffle Top; Spout BottomBB-55CDS35x35x6052.2Duffle Top; Spout BottomBB-60CDS35x35x6052.2Spout Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7 <td>NAT -</td> <td></td> <td>BB-30CSS</td> <td>35X35X30</td> <td>25</td> <td>Spout Top; Spout Bottom; Sift Proof</td>	NAT -		BB-30CSS	35X35X30	25	Spout Top; Spout Bottom; Sift Proof
BB-40CDS35x35x4034.1Duffle Top; Spout BottomBB-40CDS35x35x4034.1Spout Top; Spout Bottom; Sift ProofBB-45CDS35x35x4538.6Duffle Top; Spout Bottom;BB-45CDS35x35x4538.6Spout Top; Spout Bottom;BB-45CDS35x35x4538.6Spout Top; Spout Bottom;BB-45CDS35x35x4538.6Spout Top; Spout Bottom;BB-45CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Duffle Top; Spout Bottom;BB-50CDS35x35x5043.1Duffle Top; Spout Bottom;BB-50CDS35x35x5244.9Duffle Top; Spout Bottom;BB-52CDS35x35x5547.6Duffle Top; Spout Bottom;BB-52CDS35x35x5547.6Duffle Top; Spout Bottom;BB-52CDS35x35x5052.2Duffle Top; Spout Bottom;BB-50CDS35x35x6052.2Spout Top; Spout Bottom;BB-60CDS35x35x6556.7Duffle Top; Spout Bottom;BB-60CDS35x35x7061.2 <td< td=""><td>Ph 6</td><td></td><td>BB-35CDS</td><td>35x35x35</td><td>29.5</td><td>Duffle Top; Spout Bottom</td></td<>	Ph 6		BB-35CDS	35x35x35	29.5	Duffle Top; Spout Bottom
BB-40CSS35x35x4034.1Spout Top; Spout Bottom; Sift ProofBB-45CDS35x35x4538.6Duffle Top; Spout BottomBB-45CSS35x35x4538.6Spout Top; Spout Bottom; Sift ProofBB-48CDS35x35x4841.3Duffle Top; Spout BottomBB-48CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Spout Top; Spout BottomBB-50CDS35x35x5244.9Duffle Top; Spout BottomBB-52CDS35x35x5244.9Spout Top; Spout Bottom; Sift ProofBB-52CDS35x35x5547.6Duffle Top; Spout Bottom; Sift ProofBB-55CDS35x35x5052.2Duffle Top; Spout Bottom; Sift ProofBB-55CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Spout Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x65			BB-35CSS	35x35x35	29.5	Spout Top; Spout Bottom; Sift Proof
BB-45CDS35x35x4538.6Duffle Top; Spout BottomBB-45CDS35x35x4538.6Spout Top; Spout Bottom; Sift ProofBB-48CDS35x35x4841.3Duffle Top; Spout BottomBB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Spout Top; Spout BottomBB-50CDS35x35x5244.9Duffle Top; Spout BottomBB-50CDS35x35x5244.9Duffle Top; Spout BottomBB-50CDS35x35x5547.6Duffle Top; Spout BottomBB-52CDS35x35x5547.6Duffle Top; Spout BottomBB-52CDS35x35x5052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Spout Top; Spout BottomBB-60CDS35x35x6556.7Spout Top; Spout Bottom			BB-40CDS	35x35x40	34.1	Duffle Top; Spout Bottom
BB-45CSS35x35x4538.6Spout Top; Spout Bottom; Sift ProofBB-50CDS35x35x4841.3Duffle Top; Spout BottomBB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Spout Top; Spout BottomBB-50CDS35x35x5044.9Duffle Top; Spout BottomBB-50CDS35x35x5244.9Duffle Top; Spout BottomBB-52CDS35x35x5244.9Spout Top; Spout BottomBB-52CDS35x35x5547.6Duffle Top; Spout BottomBB-55CDS35x35x5547.6Duffle Top; Spout Bottom; Sift ProofBB-55CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; Sift ProofBB-65CDS35x35x6556.7Spout Top; Spout Bottom; Sift ProofBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x7061.2Duffle Top; Spout Bottom	Part and I		BB-40CSS	35x35x40	34.1	Spout Top; Spout Bottom; Sift Proof
BB-48CDS35x35x4841.3Duffle Top; Spout BottomBB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CDS35x35x5043.1Spout Top; Spout Bottom; Sift ProofBB-50CDS35x35x5244.9Duffle Top; Spout BottomBB-52CDS35x35x5244.9Spout Top; Spout Bottom; Sift ProofBB-52CDS35x35x5547.6Duffle Top; Spout BottomBB-55CDS35x35x5547.6Spout Top; Spout Bottom; Sift ProofBB-55CDS35x35x5547.6Spout Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Spout Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x7061.2Duffle Top; Spout Bottom		MY CO	BB-45CDS	35x35x45	38.6	Duffle Top; Spout Bottom
BB-50CDS35x35x5043.1Duffle Top; Spout BottomBB-50CSS35x35x5043.1Spout Top; Spout Bottom; Sift ProofBB-50CSS35x35x5244.9Duffle Top; Spout BottomBB-52CDS35x35x5244.9Spout Top; Spout Bottom; Sift ProofBB-52CDS35x35x5547.6Duffle Top; Spout Bottom; Sift ProofBB-55CDS35x35x5547.6Duffle Top; Spout Bottom; Sift ProofBB-55CDS35x35x5547.6Duffle Top; Spout Bottom; Sift ProofBB-50CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout BottomBB-60CDS35x35x6556.7Duffle Top; Spout Bottom			BB-45CSS	35x35x45	38.6	Spout Top; Spout Bottom; Sift Proof
BB-50CSS35x35x5043.1Spout Top; Spout Bottom; Sift ProofBB-52CDS35x35x5244.9Duffle Top; Spout Bottom;BB-52CSS35x35x5244.9Spout Top; Spout Bottom; Sift ProofBB-55CDS35x35x5547.6Duffle Top; Spout Bottom;BB-55CDS35x35x5547.6Spout Top; Spout Bottom; Sift ProofBB-55CDS35x35x6052.2Duffle Top; Spout Bottom;BB-60CDS35x35x6052.2Duffle Top; Spout Bottom;BB-60CSS35x35x6556.7Duffle Top; Spout Bottom;BB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x7061.2Duffle Top; Spout Bottom			BB-48CDS	35x35x48	41.3	Duffle Top; Spout Bottom
BB-52CDS 35x35x52 44.9 Duffle Top; Spout Bottom BB-52CSS 35x35x52 44.9 Spout Top; Spout Bottom; Sift Proof BB-55CDS 35x35x55 47.6 Duffle Top; Spout Bottom; Sift Proof BB-55CDS 35x35x55 47.6 Duffle Top; Spout Bottom; Sift Proof BB-55CDS 35x35x55 47.6 Spout Top; Spout Bottom; Sift Proof BB-50CDS 35x35x60 52.2 Duffle Top; Spout Bottom; Sift Proof BB-60CDS 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CDS 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CDS 35x35x65 56.7 Duffle Top; Spout Bottom; Sift Proof BB-65CDS 35x35x65 56.7 Duffle Top; Spout Bottom BB-65CDS 35x35x65 56.7 Duffle Top; Spout Bottom BB-65CDS 35x35x70 61.2 Duffle Top; Spout Bottom			BB-50CDS	35x35x50	43.1	Duffle Top; Spout Bottom
BB-52CSS35x35x5244.9Spout Top; Spout Bottom; Sift ProofBB-55CDS35x35x5547.6Duffle Top; Spout BottomBB-55CSS35x35x5547.6Spout Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Duffle Top; Spout BottomBB-60CSS35x35x6052.2Spout Top; Spout Bottom; Sift ProofBB-60CSS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x6556.7Spout Top; Spout BottomBB-65CDS35x35x7061.2Duffle Top; Spout Bottom			BB-50CSS	35x35x50	43.1	Spout Top; Spout Bottom; Sift Proof
BB-55CDS35x35x5547.6Duffle Top; Spout BottomBB-55CSS35x35x5547.6Spout Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Duffle Top; Spout Bottom; Sift ProofBB-60CDS35x35x6052.2Spout Top; Spout Bottom; Sift ProofBB-60CSS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x6556.7Duffle Top; Spout BottomBB-65CDS35x35x7061.2Duffle Top; Spout Bottom			BB-52CDS	35x35x52	44.9	Duffle Top; Spout Bottom
BB-55CSS 35x35x55 47.6 Spout Top; Spout Bottom; Sift Proof BB-60CDS 35x35x60 52.2 Duffle Top; Spout Bottom; Sift Proof BB-60CDS 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CDS 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-60CDS 35x35x65 56.7 Duffle Top; Spout Bottom BB-65CDS 35x35x65 56.7 Spout Top; Spout Bottom BB-65CCS 35x35x65 56.7 Spout Top; Spout Bottom BB-65CCS 35x35x65 56.7 Duffle Top; Spout Bottom BB-65CCS 35x35x70 61.2 Duffle Top; Spout Bottom	0		BB-52CSS	35x35x52	44.9	Spout Top; Spout Bottom; Sift Proof
BB-60CDS 35x35x60 52.2 Duffle Top; Spout Bottom BB-60CDS 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-65CDS 35x35x65 56.7 Duffle Top; Spout Bottom BB-65CDS 35x35x65 56.7 Duffle Top; Spout Bottom BB-65CDS 35x35x65 56.7 Spout Top; Spout Bottom BB-65CDS 35x35x65 56.7 Spout Top; Spout Bottom BB-65CCS 35x35x70 61.2 Duffle Top; Spout Bottom	and the second se		BB-55CDS	35x35x55	47.6	Duffle Top; Spout Bottom
BB-60CSS 35x35x60 52.2 Spout Top; Spout Bottom; Sift Proof BB-65CDS 35x35x65 56.7 Duffle Top; Spout Bottom BB-65CSS 35x35x65 56.7 Spout Top; Spout Bottom BB-65CSS 35x35x65 56.7 Spout Top; Spout Bottom BB-65CSS 35x35x70 61.2 Duffle Top; Spout Bottom			BB-55CSS	35x35x55	47.6	Spout Top; Spout Bottom; Sift Proof
BB-65CDS 35X35X65 56.7 Duffle Top; Spout Bottom BB-65CCS 35X35X65 56.7 Spout Top; Spout Bottom BB-70CDS 35x35x70 61.2 Duffle Top; Spout Bottom			BB-60CDS	35x35x60	52.2	Duffle Top; Spout Bottom
BB-65CSS 35X35X65 56.7 Spout Top; Spout Bottom BB-70CDS 35x35x70 61.2 Duffle Top; Spout Bottom		[Lon	BB-60CSS	35x35x60	52.2	Spout Top; Spout Bottom; Sift Proof
BB-70CDS 35x35x70 61.2 Duffle Top; Spout Bottom			BB-65CDS	35X35X65	56.7	Duffle Top; Spout Bottom
	Star Pray Fray		BB-65CSS	35X35X65	56.7	Spout Top; Spout Bottom
BB-70CSS 35x35x70 61.2 Spout Top; Spout Bottom: Sift Proof			BB-70CDS	35x35x70	61.2	Duffle Top; Spout Bottom
		-	BB-70CSS	35x35x70	61.2	Spout Top; Spout Bottom: Sift Proof

Updated June 2023

Duffle Top; Spout Bottom

Spout Top; Spout Bottom

3,000 LBS CAPACITY; UNCOATED FABRIC; U-PANEL						
	Item #	Size	Cubic Ft.	Description		
	BB-35UDS	35x35x35	29.5	Duffle Top; Spout Bottom		
	BB-354160UDS	35x41x60	61.8	Duffle Top; Spout Bottom		
	BB-40UDS	35x35x40	34.1	Duffle Top; Spout Bottom		
	BB-46UDS	35x35x46	39.5	Duffle Top; Spout Bottom		
	BB-50UDS	35x35x50	43.1	Duffle Top; Spout Bottom		
	BB-52UDS	35x35x52	44.9	Duffle Top; Spout Bottom		
	BB-52USS	35x35x52	44.9	Spout Top; Spout Bottom		
	BB-55UDS	35x35x55	47.6	Duffle Top; Spout Bottom		
	BB-55USS	35x35x55	47.6	Spout Top; Spout Bottom		
	BB-60UDS	35x35x60	52.2	Duffle Top; Spout Bottom		
	BB-60USS	35x35x60	52.2	Spout Top; Spout Bottom		
	BB-3760UDS	37x37x60	58.5	Duffle Top; Spout Bottom		
	BB-70UDS	35x35x70	61.2	Duffle Top; Spout Bottom		
	BB-70USS	35x35x70	61.2	Spout Top; Spout Bottom		

2,500 LBS CAPACITY; COATED FABRIC; U-PANEL					
	ltem #	Size	Cubic Ft.	Description	
A A A A A A A A A A A A A A A A A A A	BB-45C5DS	35x35x45	38.6	Duffle Top; Spout Bottom	
	BB-45C5SS	35x35x45	38.6	Spout Top; Spout Bottom	
	BB-50C5DS	35x35x50	43.1	Duffle Top; Spout Bottom	
	BB-52C5DS	35x35x52	44.9	Duffle Top; Spout Bottom	
	BB-60C5DS	35x35x60	52.2	Duffle Top; Spout Bottom	
	BB-60C5SS	35x35x60	52.2	Spout Top; Spout Bottom	

35x35x70

35x35x70

61.2

61.2

BB-70C5DS

BB-70C5SS

har

2,200 LBS - 2,600 LBS CAPACITY; UNCOATED FABRIC						
	ltem #	Size	Cubic Ft.	Description		
	BB-24UOF	31x31x24	15	Open/Flat; U-Panel, 2,600 LBS		
	BB-35UOF	35x35x35	29.5	Open Top; Flat Bottom, 2500 LBS		
	BB-40UOF	35x35x40	34.1	Open/Flat; Circular, 2,500 LBS		
	BB-40UDF	35x35x40	34.1	Duffle/Flat; U-Panel, 2,200 LBS		
	BB-40UFF	35x35x40	34.1	Flap Top/Flat; Circular, 2,200 LBS		
	BB-40U5DS	35x35x40	34.1	Duffle/Spout; Circular, 2,200 LBS		
	BB-40U5SS	35x35x40	34.1	Spout/Spout; Circular, 2,200 LBS		
	BB-46U5DS	35x35x46	39.5	Duffle/Spout; Circular, 2,200 LBS		
	BB-46U5SS	35x35x46	39.5	Spout/Spout; Circular, 2,200 LBS		
	BB-50UDF	35x35x50	43.1	Duffle/Flat; U-Panel, 2,200 LBS		
	BB-50UOF	35x35x50	43.1	Open/Flat; Circular, 2,500 LBS		
	BB-50U5DS	35x35x50	43.1	Duffle/Spout; Circular, 2,200 LBS		
	BB-50U5SS	35x35x50	43.1	Spout/Spout; Circular, 2,200 LBS		
	BB-54U5DS	35x35x54	46.7	Duffle/Spout; Circular, 2,200 LBS		
is an analysis	BB-54U5SS	35x35x54	46.7	Spout/Spout; Circular, 2,200 LBS		
	BB-60U5DS	35X35X60	52.2	Duffle/Spout; U-Panel, 2,200 LBS		
	BB-60U5SS	35X35X60	52.2	Spout/Spout; U-Panel, 2,200 LBS		

Updated June 2023

BAFFLE BAGS; 3,000 LBS CAPACITY; 4-PANEL						
	ltem #	Size		Description		
	<u>BB-384163</u>	38x41x	63	Duffle Top; Spout Bottom		
	BB-4048UDS	40x48>	48	Duffle Top; Spout Bottom		
	BB-4048USS	40x48>	48	Spout Top; Spout Bottom		
	BB-424240	42x42x	40	Duffle Top; Spout Bottom		
	BB-4240CDS	42x42x	40	Duffle Top; Spout Bottom; Coated		
& allow of the state	BB-424240SS	42x42	40	Spout Top; Spout Bottom		
	<u>BB-424244</u>	42x42	44	Duffle Top; Spout Bottom		
	BB-4244CDS	42x42	44	Duffle Top; Spout Bottom; Coated		
	BB-44DSC	42x42	44	Duffle/Spout; w/Cross Corner Loops		
	<u>BB-424244SS</u>	42x42	44	Spout Top; Spout Bottom		
	BB-44SSC	42x42	44	Spout/Spout; w/Cross Corner Loops		
PE LINER BAGS; 3,000	LBS CAPA	ACITY; U	NCOA	TED FABRIC; U-PANEL		
ANN K.	Item #	Size	Cubic Ft.	Description		

Contration of the	BB-40UDSL	35X35X40	34.1	Duffle Top; Spout Bottom; Tabbed Liner
	BB-40USSL	35x35x40	34.1	Spout Top; Spout Bottom; Tabbed Liner
	BB-50UDSL	35X35X50	39.5	Duffle Top; Spout Bottom; Tabbed Liner
	BB-50USSL	35X35X50	39.5	Spout Top; Spout Bottom; Tabbed Liner
and standing on a support of the second	BB-60UDSL	35x35x60	52.2	Duffle Top; Spout Bottom; Tabbed Liner
	BB-60USSL	35x35x60	52.2	Spout Top; Spout Bottom; Tabbed Liner
	BB-50UDSL BB-50USSL BB-60UDSL	35X35X50 35X35X50 35x35x60	39.5 39.5 52.2	Duffle Top; Spout Bottom; Tabbed Liner Spout Top; Spout Bottom; Tabbed Liner Duffle Top; Spout Bottom; Tabbed Liner

VENTILATED BAGS; 2,200 LBS CAPACITY; UNCOATED FABRIC; U-PANEL



D LBS CAPACITY; UNCOATED FABRIC; U-PANEL					
ltem #	Size	Description			
BB-354154VENT2	35x41x54	Open Top; Spout Bottom (18x22); 13 Ventilated Strips Per Panel			
BB-354158VENT2	35x41x58	Open Top; Spout Bottom (18x22); 13 Ventilated Strips Per Panel			

CONCRETE WASHOUT BAGS						
	ltem #	Size	Cubic Ft.	Description		
	<u>BB-4024</u>	40x40x24	26.3	Concrete Washout Bag w/ PE Liner		
	BB-7216	42x72x16	36.3	Large Concrete Washout Bag w/ PE liner		

ADDITIONAL ITEMS					
Item #	Size	Cubic Ft.	Description		
BB-APC	34X41X63	63.3	APC Peanut Bag		
WP-272755	27.5x27.5x55	28.6	Flap Top Cap Sacks (No Handles)		

Need A Custom Bag? We Can Help!

- Custom Printing
- UN Rated Bags for Hazardous Materials
- Conductive Bags
- Food Grade Certified Production (GFSI Recognized)

- ✓ PE Liners / Foil Liners
- Stevedore Straps
- Custom Labels & Pallet Covers
- Stock & Release Programs
- Transloading Services

WOVEN POLYPROPYLENE BAGS AVAILABLE FOR IMMEDIATE SHIPMENT

CIRCULAR WOVEN POLYPROPYLENE BAGS (10X10 WEAVE; 800D/750D)

	Size (in.)	Size (in.)	Size (in.)
	14x21	20x31	23x40
A August	15x24	20x32	24x40
PARA	15x27	20x36	25x40
	17x27	21x36	26x40
	18x30	22x29	27x40
	18x32	22x36	28x40
	18.5x35	23x36	29x40
	19x30	24x36	30x40
	19x30 UV	20x40	30x45
	19x32	21x40	38x70
	19x36	22x40	40x54
	LAMINATED V	VOVEN POLYPRO	OPYLENE BAGS
	Size (in.)		Size (in.)
2 · 2 · 2 · 2 · 2	19x30		22x36
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20x32		40x54

WOVEN POLYPROPYLENE SAND BAGS 10X10; HIGH UV W/ TIE



WOVEN POLYPROPYLENE PAPER LAMINATED BAGS					
	Size (in.)	Color	Construction		
	15+3 ½ x 32	Brown Kraft	EZ-Open Top; Thumb Notch		
	15+3 ½ x 32	White	EZ-Open Top; Thumb Notch		
	15+3 ½ x 35	Brown Kraft	EZ-Open Top; Thumb Notch		
	15+3 ½ x 35	White	EZ-Open Top; Thumb Notch		
	16+4 x 36	Brown Kraft	EZ-Open Top; Thumb Notch		
	16+4 x 36	White	EZ-Open Top; Thumb Notch		

WOVEN POLYPROPYLE	NE MESH BAGS	W/ BLACK WOVI	EN DRAWTAPE
	Size (in.)	Color	Construction
the second second	15x25	Red	Close Mesh
	15x25	White	Close Mesh
	15x25	Purple	Close Mesh
THE REPAR	16.5 x 28.5	Purple	Close Mesh
	16.5 x 28.5	Green	Close Mesh
	18x30	Red	Close Mesh
14 4 1 1 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18x30	White	Close Mesh
A A CONTRACT	18x30	Purple	Close Mesh
	18x32	Red	Close Mesh
	18x32	White	Close Mesh
19-5-9-5463-680-68	22x36	Green	Close Mesh
CONTRACTOR OF	24x36	Green	Close Mesh
	21x31 ½	Red	Open Mesh Baler
	21x31 ½	Orange	Open Mesh Baler
	21x31 ½	White	Open Mesh Baler



Ask us about our custom order reusable / recyclable shopping bags!

- Available in both woven and non-woven polypropylene fabric
- BOPP and Silk Screen Printing available
- Minimum Orders 10,000 20,000 depending on specifications





Your Partner in Packaging since 1876





- Bulk Bags (FIBCs) Over 100 Configurations in-Stock!
- Small Woven Poly Bags Over 100 Styles in-Stock!
- Sandbags
 Millions in-Stock!
- Leno Mesh Bags
- Laminated Woven PP Bags
- Woven PP Paper Laminated Bags



- BOPP Bags
- Reusable Shopping Bags
- Concrete Washout Bags
- Textile and Specialty Fabrics
- Woven Polypropylene Bags
- Cotton Bags
- Railcar Liners
- Container Liners





